

Genus *Euchloe* Hübner, [1819] Green-striped Whites

In: Hübner, [1816-[1826]. *Verzeichniss bekannter Schmettlinge* 94 (432 + 72 pp.). Augsburg.
Type-species: *Euchloe ausonia* var. *esper* Verity, by subsequent designation (Opinion 177, 1946. *Opinions and Declarations Rendered by the International Commission on Zoological Nomenclature* 2: 533-544.) [extralimital].

Synonym based on extralimital type-Species: *Phyllocharis* Schatz.

The genus *Euchloe* belongs to the Family Pieridae Swainson, 1820; Subfamily Pierinae Swainson, 1820; Tribe Anthocharadini Scudder, 1889. The other genus in the Tribe Anthocharadini in the Afrotropical Region is *Elphinstonia* Klots, 1930.

Euchloe (**Green-striped Whites**) is an essentially extralimital genus (Palearctic and Nearctic) of 19 species, two of which penetrate the Afrotropical Region.

Relevant literature:

Back *et al.*, 2006 [Phylogeny].

**Euchloe belemia* (Esper, [1800]) Green-striped White

Papilio belemia Esper, [1800] *in* Esper, [1776-[1830]. *Die Schmetterlinge in Abbildungen nach der Natur mit Beschreibungen* 1 Europäische Gattungen [Tagschmetterlinge] 92 (388 + 190 + 120 + 48 pp.). Erlangen.
Euchloe belemia (Esper, 1800). Ackery *et al.*, 1995.



Euchloe belemia. Male. Left – upperside; right – underside.
Israel. March 1975. D. Benyamini. ABRI-2019-2732.
Images M.C. Williams ex ABRI Collection.

Type locality: ?

Distribution: Ethiopia, Somalia, eastern Arabia (as subspecies *abyssinica*). The nominate subspecies is Palearctic.

Early stages:

Huertas, 1986

Caballero, 1996

Larval food: ?

Euchloe belemia abyssinica Riley, 1928
Abyssinian Green-striped White

Euchloe belemia abyssinica Riley, 1928. *Entomologist* **61**: 136 (136-137).

Euchloe belemia abyssinica Riley, 1928. Ackery *et al.*, 1995.

Type locality: [Ethiopia]: “Abyssinia, Mt. Chillalo, 8000 ft.”.

Distribution: Ethiopia, Somalia, eastern Arabia.

Specific localities:

Ethiopia – Mount Chillalo (TL).

**Euchloe falloui* (Allard, 1867)
Sahara Green-striped White

Anthocharis falloui Allard, 1867. *Annales de la Société Entomologique de France* (4) **7**: 312 (311-322).

Euchloe falloui (Allard, 1867). Ackery *et al.*, 1995.



Euchloe falloui falloui. Male. Left – upperside; right – underside.
Adrar Mountains, Mauritania. January 2007. H. Warren-Gash. ABRI-2019-2728.
Images M.C. Williams ex ABRI Collection.



Euchloe falloui falloui. Female. Left – upperside; right – underside.
Adrar Mountains, Mauritania. January 2007. H. Warren-Gash. ABRI-2019-2728.
Images M.C. Williams ex ABRI Collection.

Type locality: Algeria: “Algérie”.

Distribution: Mauritania, Algeria, Chad, Sudan, Libya, Somalia, Arabia.

Early stages: Nothing published.

Larval food: Nothing published.

Relevant literature:

Benyamini, 2008 [Pupal diapause; Negeve Desert].

Euchloe falloui falloui (Allard, 1867)
Sahara Green-striped White

Anthocharis falloui Allard, 1867. *Annales de la Société Entomologique de France* (4) 7: 312 (311-322).

Euchloe falloui (Allard, 1867). Ackery *et al.*, 1995.



Euchloe falloui falloui. Male. Left – upperside; right – underside.
Adrar Mountains, Mauritania. January 2007. H. Warren-Gash. ABRI-2019-2728.
Images M.C. Williams ex ABRI Collection.



Euchloe falloui falloui. Female. Left – upperside; right – underside.
Adrar Mountains, Mauritania. January 2007. H. Warren-Gash. ABRI-2019-2728.
Images M.C. Williams ex ABRI Collection.

Type locality: Algeria: “Algérie”.

Distribution: Mauritania, Algeria, Chad, Sudan, Libya, Somalia, Saudi Arabia (along the Jebel Tuwayq and possibly the Hejaz foothills around Makkah).

Specific localities:

Mauritania – Adrar Mountains (male and female illustrated above).

obsolescens Rothschild, 1913 (as ssp. of *Euchloe falloui*). *Novitates Zoologicae* 20: 112 (109-143).
Algeria: “South Oued Mya”.

Euchloe falloui saudi Larsen, 1983

Riyadh Sahara Green-striped White

Euchloe falloui saudi Larsen, 1983. *Fauna Saudi Arabia* **5**: 353 (333-478).
Euchloe falloui saudi Larsen, 1983. Ackery *et al.*, 1995.

Type locality: Arabia: "Riyadh Area".

Distribution: Saudi Arabia (along the first inland ridge from Haql).